

BENCHMARKS

BM #	Elevation USC/GS Datum	Description and Location	Sec.	Twp	Rge.
RM1	6.48 ft.	Manatee County Monument on the northwest corner of 28th Avenue West & Snead Island Road, 32 ft. southwest of the fire hydrant, 19' north of the centerline at Snead Island Road 24 ft. South of center flag pole at Tropic Isles sign, 5 in. under ground.	16	34	17
RM2	16.50 ft. Marked "IRK"	USC & GS Survey disk, top of west concrete guard rail at north end of Green Bridge, 17th ft. West of centerline of highway	23	34	17
RM3	12.95 FT. Marked "Q-253"	USC & GS Survey disk set in the top of a concrete post; Along the Seaboard Coastline Railroad near the crossing of 7th Street West, 38 ft. West of the West rail of the main track, 17.5 ft. West of the West rail of a sidetrack, 29.5 ft. South of the South concrete curb of 7th Street west.	14	34	17
RM4	11.99 ft. Marked "R-253"	USC & GS Survey Monument near the crossing of the Seaboard Coastline Railroad & 17th Street West, 69.5 ft. Southwest of the center of the crossing, 63 ft. South of the centerline of 17th Street West, 26.5 ft. West of the West rail.	14	34	17
RM5	12.06 ft. Marked "2-51"	USC & GS Survey Disk number 2-51 located on the inside face of the North column post on US 41 overpass on 10th Street .	13	34	17
6	23.27 ft. Marked "S-253"	About 1.7 miles North of palmetto at the overpass where US 41 where US 41 crosses over Business 41 and the railroad, at the first set of piers, S.W. of Business 41, 72 ft. Northwest of the Northwest rail, 20.5 ft. Southeast of the centerline of Business 41, about about 2 ft. above the highway set vertically in the Northwest face of of the second pier from the southeast end of the support.	11	34	17
7	14.449 ft. Manatee Co. Benchmark	"PK-nail and disk in the Southside of power pole at the Northeast corner of 3rd Avenue West and 10th Street West	14	34	17
8	14.202 ft. Manatee Co. Benchmark	"Rivet and disk" in the centerline of concrete sidewalk 58 ft., more or less, East of the centerline of 5th Avenue Drive West and 10th Street West on the North side of 10th Street West	14	34	17
9	13.796 ft. Manatee Co. Benchmark	"Rivet and Manatee County" disk in the centerline of a 6 in. wide concrete curb at the PC of a curve on the Northwest corner of 10th Street West & 8th Avenue West .	14	34	17
10	13.000 ft. Manatee Co. Benchmark	Rivet and "Manatee County" disk in the centerline of a concrete sidewalk, 28 ft. North of the centerline of 12th St. Dr. W. on the East side of 8th Avenue West	14	34	17
11	13.341 ft. Manatee Co.	Rivet and "Manatee County" disk in the centerline P.O.C., top of Type "F" curb on the Northeast corner of 8th Avenue West and	11	34	17

BENCHMARKS

	Benchmark	17 th. Street West.			
12	12.691 ft. Manatee Co. Benchmark	PK nail and "Manatee County" disk on the South edge of pavement on 17th Street West 140 ft. east of the centerline of the entrance to City of Palmetto Public Works Department.	12	34	17
13	11.905 ft. Manatee Co. Benchmark	Rivet and "Manatee County" disk in the centerline of a concrete median, in the centerline of US 301, 430 ft. East of the centerline of the intersection of 9th Avenue East & US 301, 30 ft. west of the end of the bullnose.	13	34	17
14	8.763 ft. Manatee Co. Benchmark	Rivet and "Manatee County" BM disk in the West end concrete headwall 68 ft. East of the centerline of an asphalt driveway at No. 724 US 301, Hasko's Nursery the North side of US 301	13	34	17
15	10.98 ft. Manatee Co. Benchmark	Rivet and "Manatee County" disk, 42 ft., more or less, East of the West end of the bullnose in the centerline of the concrete median 100 ft. East of the centerline of the entrance to Burger King Restaurant, in the centerline of US 301.	13	34	17
16	8.84 ft. Manatee Co. Benchmark	Manatee County Benchmark disk in the centerline at the West end of the headwall at the Northwest corner of Canal Road & US 301 52 ft. West of the centerline of Canal Road and 60 ft. North of the centerline of US 301.	13	34	17
17	11.16 ft. Manatee Co. Benchmark	PK nail and Manatee County BM disk at the East edge of Canal Road, 87 ft. North of the centerline of 12th St. E.	18	34	18
18	14.20 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the centerline of a concrete sidewalk, 58 ft., more or less, East of the centerline of 5th Avenue Drive West and 10th Street West on the Northside of 10th St. W.	14	34	17
19	13.97 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the centerline of a concrete sidewalk, 92 ft., more or less, West of the centerline intersection of 8th Avenue West and 10th Street West; and 21 ft., more or less, North of the centerline of 10th Street West.	14	34	17
20	11.85 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the POC, top of a 6 in. curb, 30 ft., more or less, South of the centerline intersection of 10th St. W. and 11th Avenue West, 18 ft., more or less, West of the centerline of 11th Avenue West.	14	34	17
21	12.46 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the centerline of a concrete sidewalk, 115 ft., more or less, East of the centerline intersection of 10th Street West and 14th Avenue West; and 27 ft., more or less, South of the centerline of 10th Street West.	14	34	17
22	11.83 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the centerline of a concrete sidewalk, 206 ft., more or less, North of the centerline of 12th St. Drive West and 27 ft., more or less, South of the centerline of the West entrance to the North River Fire District Station One; and	15	34	17

BENCHMARKS

		21 ft., more or less, West of the centerline of 14th Avenue West.			
23	9.48 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the centerline of concrete sidewalk, 36 ft. North of the centerline of the entrance to the Church of Christ Building No. 1575 14th Avenue West; and 20 ft. West of the centerline of 14th Avenue West.	15	34	17
24	9.64 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the centerline of a concrete sidewalk, 154 ft. West of the centerline of 12th Ave.W., 84 ft. west of high school sign, 18 ft. south of centerline of 17th St. W.	13	34	17
25	11.66 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the centerline of a concrete sidewalk, 237 ft., more or less, East of the centerline of 10th Ave. W. in between trailer No. 043, O Street and No. 39, North Street 25 ft., more or less, South of the centerline of 17th Street West.	14	34	17
26	10.09ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the centerline of a concrete sidewalk, 197 ft., more or less, East of the centerline of 17th Ave. W. and 23 ft., more or less, North of the centerline of 10th Street West.	15	34	17
27	6.01 ft. Manatee Co. Benchmark	Pk nail & Manatee County BM disk on the North edge of pavement of 10th St. W., 245 ft., more or less, East of the centerline of 20th Avenue West and 10th Street West; and 68 ft., more or less, East of the Southeast corner of a block stucco house, No. 1924 10th St.	15	34	17
28	5.65 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk in the centerline of a concrete sidewalk, 13.ft., more or less, West of the centerline of 23rd Ave.W. and 23 ft., more or less, North of the centerline of 10th St. W.	15	34	17
29	6.29 ft. Manatee Co. Benchmark	Rivet and Manatee County BM disk, in the top, near the South edge of a concrete GTE fiber optic box; 54 ft., more or less, East of the centerline of 27th Ave. W. and 16 ft., more or less, North of the centerline of 10th St. W. in front of a house, No. 2628 10th ST.W.	15	34	17
30	6.76 ft. Manatee Co. Benchmark	PK nail & Manatee County BM disk in the top of the pavement at "Topic Isles Mobilehome Park", 13 ft., More or less, East of the centerline of Aloha; 18 ft., more or less, North of 10th St. W. ; 15 ft. East of a concrete driveway at house No. 3025 10th St. W.	16	34	17
31	6.87 ft. Manatee Co. Benchmark	PK nail and Manatee County BM disk in the North edge of pavement of 10th St. W., 12 ft., more or less, North of the centerline of 10th St. W.; center of a driveway at house No. 3401; 64 ft. West of the Seventh Day Adventist Church West driveway centerline.	16	34	17
32	3.37 FT. Manatee Co. Benchmark	6"x 6" Manatee County concrete monument, stamped "3.37", 350 ft., more or less, West of 35th Ave. Dr.W., 45 ft., more or less, South of the centerline of 10th St. W.; also turns into 13th St. W.	16	34	17
33	6.63 Manatee Co.	PK nail and Manatee County BM disk in north edge of pavement of 13th Street West; 11 ft., more or less, north of the centerline			

BENCHMARKS

	Benchmark	of 13th Street West & 33 ft., more or less, east of the east edge of Pelican Perch Driveway, 180 ft., more or less, west of the centerline of the centerline of 11th Street Court West.	16	34	17
34	19.69 Manatee Co. Benchmark	Rivet and Manatee County BM disk in the northwest side of the bridge at the southwest corner of a concrete sidewalk, 12 ft., more or less, north of the centerline of the 13th Street West bridge no. 130007 at the Snead Island cut.	16	34	17
35	7.51 Manatee Co. Benchmark	PK nail and Manatee County BM disk, 1 ft., more or less, north of the north edge of pavement of 13th Street West, east edge of pavement of Tarpon Road.	16	34	17
36	7.37 Manatee Co. Benchmark	Rivet and Manatee County BM disk in concrete driveway at #4710 13th Street West, 30 ft., more or less, west of the centerline of the concrete driveway and 13 ft., more or less, north of the centerline of 13th Street West	17	34	17
37	6.31 Manatee Co. Benchmark	Rivet and Manatee County BM disk in the north edge of the pavement of 13th Street West and 27 ft., more or less, east of the centerline of 51st Avenue Drive West, disk located at the PC of curve.	17	34	17
38	13.07 "Gerken" Benchmark	"PK" nail & disk Stamped "Gerken BM", 15 ft., more or less South of the southwest corner of the "Kentucky Fried Chicken" building.	14	34	17
39	12.86 Manatee Co. Benchmark	"PK" nail & disk, Northeast corner of 8th Avenue West and 12th Street Drive West	14	34	17
40	11.53 "Mills" Benchmark	Nail in utility pole, 260 ft., more or less, north of the northeast corner of 15th Avenue Drive West and 10th Street west on the East side of the road	15	34	17
41	14.47 City of Palmetto	North rim of a sanitary manhole at the intersection of 10th Street West and 8th Avenue West	14	34	17
42	11.66 Zoller BM	Square cut in sidewalk at 10th Street West and 10th Avenue West Elevation based upon U.S.C.&G.S., R-253 1965	14	34	17
43	14.07 Zoller BM	60 penny nail in east side of a 13" palm tree on the NW corner of 10th Street West and 11th Avenue West	14	34	17
44	13.95 Z., N. & S. Benchmark	Square cut at front entrance sidewalk of church on the SE corner of 11th Avenue West and 8th Street West	14	34	17
45	14.78 Z., N. & S. Benchmark	60 penny nail in the base of a 18" palm tree on the SE corner of 11th Avenue West and 7th Street West.	14	34	17



BENCHMARKS

46	15.11 Z., N. & S. Benchmark	60 penny nail in the case of an 18" camphor tree approximately 150 ft. North of 11th Avenue West and 5th Street West; on the East side of 11th Avenue West	14	34	17
47	13.75 Z., N. & S. Benchmark	60 penny nail in the base of a 42" oak tree on the NW corner of 11th Avenue West and 4th Street West	14	34	17
48	3.64 Z., N. & S. Benchmark	Square cut in sidewalk approximately 100 ft. West of 11th Avenue West and Riverside Drive.	23	34	17
49	6.01 FDOT Desoto #02	North end of Desoto Bridge on the West side, marked with metal witness post, 3 ft. west of a metal light pole (concrete monument)	24	34	17
50	13.19 FDOT #1 Benchmark	Concrete mon. at NW cor. of U.S.41 and U.S. 301 (10th Street ) intersection, 17.72 ft. south of GTE telephone box, 21.49 ft. west of a metal light pole.	13	34	17
51	20.52 FDOT #10-96 Benchmark	S.R.D. disc set in northwest wingwall at north end of Desoto Bridge, 33.51 ft. north of an "x-cut" in top of west rail of the Bridge	24	34	17
52	3.63 FDOT BM #11-96	Northend of the Desoto Bridge on the East side, 137.98 ft. East of the centerline of U.S.41 and 55.71 ft. northerly of an "x-cut" in the Northeasterly wingwall. (Benchmark is a concrete monument)	24	34	17
53	2.63 FDOT BM #12-96	From the intersection of U.S.301 and U.S.41, run south along U.S.41 a distance of 0.81 miles, said Benchmark is located 114.04 ft. East of the centerline of said U.S.41 and 168.86 ft. northeasterly of a "PK" nail and disc, marked #2230, set in the top of a wooden post. (Benchmark is a concrete monument)	24	34	17
54	6.2 FDOT BM #13-96	From the intersection of U.S.301 and U.S.41, run south along U.S.41 a distance of 0.631 miles, said Benchmark is located 110.51 ft. East of the centerline of said U.S.41 and 112.73 ft. SE of a metal light pole.(Benchmark is a concrete monument)	24	34	17
55	14.56 FDOT BM No. M-001	8th Street West and 8th Avenue West, East side of said 8th Avenue West, south side of gasoline service station, 39.4 ft. east of the centerline of 8th Avenue West and 52 ft. more or less north of the centerline of 8th Street West.	14	34	17
56	13.01 FDOT BM No. M-002	Concrete monument located at the NE corner of 8th Avenue W. and 4th Street West, 34 ft., more or less, east of the centerline of 8th Avenue West and 23.2 ft., more or less, north of the centerline of 4th Street West, with witness post	14	34	17

BENCHMARKS

57	14.37 Z. N. & S. Benchmark	Square cut in the top of a curb on the East side of 10th Avenue West in front of the Olympia Theater	23	34	17
58	10.78 Benchmark	8th avenue West between 5th street West and 4th Street West, railroad spike in powerpole 1 ft. above the ground, 150 ft. North of of 4th Avenue West	14	34	17
59	3.57 R.J.Lombardo Benchmark	Lagbolt in Northside of power pole #5-1381-1018-09 at the east end of the Riverside Drive and 5th Avenue West	23	34	17
60	14.93 R.J.Lombardo Benchmark	Top of flange bolt at the southwest corner of the concrete base of the gate at the railroad tracks	14	34	17
61	15.42 R.J.Lombardo Benchmark	Top of the flange bolt on the west side of a fire hydrant in the median of 5th Avenue, south side of 9th Street West	14	34	17
62	16.38 R.J.Lombardo Benchmark	Southeast corner of 6th Avenue West and 9th Street West, top of flange bolt on the northwest side of the fire hydrant	14	34	17
63	3.88 R.J.Lombardo Benchmark	Southside of Riverside Drive at 7th Avenue West Lagbolt in the northside of a power pole #5-1281-9513-08	23	34	17
64	14.23 R.J.Lombardo Benchmark	Northeast corner of 6th Avenue West and 8th Street West Lagbolt in the west side of a power pole #800	14	34	17
65	13.1 R.J.Lombardo Benchmark	Northeast corner of 6th Avenue West and 7th Street West Lagbolt in the West side of a power pole #A301-400	14	34	17
66	14.38 R.J.Lombardo Benchmark	East side of 6th Avenue West at 6th Street West Lagbolt in the west side of a power pole #5-1381-0144-00	14	34	17
67	12.68 R.J.Lombardo Benchmark	Southwest corner of 6th Avenue West and 5th Street West Top of 3/4" iron pipe found at the northwest corner of a concrete catch basin	14	-34	-17
68	8.71 R.J.Lombardo Benchmark	Northeast corner of 4th Street West and 6th Avenue West Lagbolt on the West side of power pole #5-1381-0125-04	23	34	17
69	15.54 D.O.T Benchmark	East side of 8th Avenue West at south side of railroad crossing Cut in sidewalk at "Buddy Roes Lounge", 79 ft. East of the centerline of 8th Avenue West	14	34	17

BENCHMARKS

70	13.03 Marlow Surv. TBM D"A"	Southwest corner of 10th Avenue West and 12th Street West Large nail in the north side of a wood light pole #5-1281-7095-07	14	34	17
71	12.2 Marlow Surv. TBM D"B"	Southwest corner of 10th Avenue West and 14th Street West Railroad spike in the north side of a wood light pole#5-1282-7010	14	34	17
72	11.07 Marlow Surv. TBM D"C"	Southwest corner of 10th Avenue West and 15th Street West Large nail in the northeast side of a wood light pole#5-1282-7017	14	34	17
73	11.8 Marlow Surv. TBM D"D"	Southwest corner of 10th Avenue West and 16th Street West Large nail in the East side of a wood light pole#5-1232-7023-01	14	34	17
74	8.87 Marlow Surv. TBM D"E"	Southwest corner of 13th Avenue West and 15th Street West Railroad spike in north side of wood power pole#5-1282-4818-01	14	34	17
75	9.73 Marlow Surv. TBM D"F"	Southwest corner of 12th Avenue West and 15th Street West Railroad spike in north side of wood power pole#5-1282-5418-04	14	34	17
76	8.93 Marlow Surv. TBM E3"A"	Southwest corner of 14th Avenue West and 4th Street West Large nail in North side of wood power pole#5-1281-3425 (w/light)	15	34	17
77	6.67 Marlow Surv. TBM E3"B"	Northwest corner of 14th Avenue West and 6th Street West Large nail in east side of wood power pole#5-1281-34444 (w/light)	15	34	17
78	8.59 Marlow Surv. TBM E3"C"	Northwest corner of 14th Avenue West and 7th Street West Railroad spike in east side of wood power pole#5-1281-3352-0-8	15	34	17
79	8.19 Marlow Surv. TBM E3"D"	Northwest corner of 13th Avenue West and 4th Street West Large nail in the south side of a wood power pole# 415	14	34	17
80	9.8 Marlow Surv. TBM G3"A"	Southwest corner of 12th Street Drive West and 17th Avenue West Large nail in eastside of wood power pole(w/light)#5-1281-0996	15	34	17
81	11.77 Marlow Surv. TBM G3"E"	Southwest corner of 12th Street Drive West and 15th Ave. Dr. W. Large nail in northside of wood power pole (no number)	15	34	17
82	11.55 Marlow Surv. TBM G3"I"	Southeast corner of 12th Street West and 15th Avenue Drive West Large nail in northside of wood power pole# 5-1281-2192-08	15	34	17

BENCHMARKS

83	16.78 Marlow Surv. TBM "A"	15 ft. west of the center of an alley (8th Ave. Dr. West) and 55 ft. south of the center of 8th Street West "X" cut in the northeast flange of a fire hydrant	14	34	17
84	16.05 Marlow Surv. TBM "B"	60 ft. West of the center of an alley(8th Ave. Dr. West) and 3 ft. south of the south end of a sidewalk at the northeast corner of the school property.	14	34	17
85	15.51 Marlow sURV. TBM "C"	35 ft. north of the center of 8th Street West and 27 ft. east of the center of 9th Avenue West Square cut in the northeast corner of a concrete drainage structure	14	34	17
86	14.99 Marlow Surv. TBM "D"	Southeast corner of 10th Avenue West and 8th Street West Square cut in the west side of the lower concrete step on the north side of the building	14	34	17
87	13.94 Marlow Surv. TBM "E"	15 ft. west of the center of 11th Avenue West and 100 ft. south of the center of 8th Street West. Railroad spike in the east side of a power pole (no #)	14	34	17
88	5.23 F D C TBM WD"A"	660 ft. north of the intersection of US 301 and Canal Road, (16th Avenue East) on the West side of Canal Road Square cut on the top of a concrete headwall (north end)	18	34	18
89	3.92 F D C TBM WD"B"	500 ft. north of the intersection of US 301 and Canal Road (16th Avenue East) on the West side of Canal Road Square cut in top of concrete headwall (North end)	18	34	18
90	3.89 F D C TBM WD"C"	200 ft. north of the intersection of US 301 and Canal Road (16th Avenue East) on the West side of Canal Road Square cut in top of concrete headwall (north end)	18	34	18
91	7.61 GLOBAL TBM	east side of Haben Boulevard, 178.45 ft. south of offset CM set at top of bank (drainage ditch) at northwest corner of the "Hammocks at Riviera Dunes"and 15 ft. east of an existing CM (property corner). It is also 562.78 ft. north of the entrance of said subdivision			
92	7.02 Global Surv. TBM	440 ft. East of the southeast corner of the "Palms at Riviera Dunes" on the north side of Haben Boulevard Top of Existing inlet			
93	9.3 Global Surv. TBM	Top of existing lift station wet well located on the north side of an existing condo building at the "Palms at Riviera Dunes" North edge of lift station wet well elevation= 9.30			
94	17.1 M.J.Lewis TBM	4th Avenue West, north of 26th Street West, at entrance to "Villas at Oak Bend", sanitary manhole, opposite side of road from lift station, north rim elevation = 17.10			
95	15.02 Allison Eng.	lag bolt in utility pole located 700 ft (m or l) north and 320 ft. west of the centerline intersection of 17th Street East and			



BENCHMARKS

	Bench mark	Canal Road (16th Avenue East)			
96	12.63 Allison Eng. TBM	sanitary manhole at centerline of 17th Street East, 440 ft. west of the centerline intersection of 17th Street East and Canal Road (16th Avenue East) North Rim Elevation = 12.63	13	34	17
97	7.22 JAG Eng. Bench Mark	Sanitary manhole on centerline of Riviera Dunes Way, 84 ft. north of centerline intersection of 1st Street East and Riviera Dunes Way. Manhole North Rim Elevation = 7.22	24	34	17
98	6.16 Leo Mills TBM	Nail & Disk at center of cul-de-sac of 3rd Avenue West, 325 ft. south of 7th Street West right of way line Top of Disk Elevation = 6.16	14	34	17
99	14.42 Z, N & S Bench mark	Railroad spike found on south side of power pole at the northeast corner of 10th Street West and 3rd Avenue West Elevation = 14.43	14	34	17
100	12.08 Z, N & S Bench Mark	Square cut in top center of a concrete headwall on the south side of 12th Street West, 150 ft. west of 2nd Avenue W. Square cut elevation = 12.08	14	34	17
101	15.09 Z, N & S Bench Mark	"X" cut in top of East of base bolt of railroad crossing sign at 10th Street West and 5th Avenue West, elevation = 15.09	14	34	17
102	13.03 Z, N & S Bench Mark	nail set in telephone pole on the southeast corner of the intersection of 5th Avenue West and 12th Street West Elevation = 13.03	14	34	17
103	11.9 Z, N & S Bench Mark	PK nail & disk, LB #6982, centerline of a concrete sidewalk 24 ft., more or less, west of the centerline intersection of 10th Street West and 14th Avenue West; and 26 ft., more or less, South of the centerline of 10th Street West	14	34	17
104	11.29 Z, N & S Bench Mark	60 penny nail & disk # 6982 set in power pole on the northwest corner of 15th Avenue West and 10th Street West, 15 ft. west and 33 ft. north of the centerline intersection of 15th Avenue West and 10th Street West, Elevation = 11.29	15	34	17
105	13.43 D&E Surveying Bench Mark	RaceTrac Gas Station, NE corner, US 41 and 17th Street West, Palmetto., Northern most corner of control structure in southern Elevation = 13.43	12	34	17
106	6.3 L, S & F Bench Mark	Riverbay Townhomes 10th Street West, Palmetto Square cut in top of headwall	16	34	17
107	4.67 L,S & F Bench Mark	Riverbay Townhomes 10th Street West, Palmetto Lag bolt on southside of pole	16	34	17

BENCHMARKS

108	6.56 L, S & F Bench Maark	Back of curb at the NW corner of lot #1, Palmetto Plantation Sub	15	34	17
109	6.53 L,S & F Bench mark	North rim of a sanitary manhole, on 24th Avenue West, 85 Ft. more or less, south of the intersection with 14th Street West	15	34	17
110	6.93 Heidt & Assc. Bench Mark	"X" cut in back of curb at 2715 Terra Ceia Bay Blvd.	10	34	17
111	13.16 Z,N & S Bench Mark	X cut in south sidewalk @ end of 12th Street West, East of 6th Avenue West	14	34	17
112	10.76 L,F & K Bench mark	"X" cut set on north rim, 200' more or less west of 15th Avenue Drive on 12th Street West	15	34	17
113	9.46 L, F & K Benchmark	Tab set in sidewalk @ northwest corner of 10th Street West and 17th Avenue West	15	34	17
114	10.54 L,F 7 k Benchmark	Square cut set in sidewalk, northside of 10th Street West 50 ft. East of 16th Avenue West	15	34	17
115					